



# TRAY CLEARING TROLLEYS

The clearers – clever assistants by B.PRO Catering Solutions.

# NEW PUSH

**Dish return** without chaos: With tray clearing trolleys by B.PRO.

Tray clearing trolleys quickly ensure order in self-service areas. In order to guarantee that dish return is executed safely even during the most chaotic rush hours, B.PRO tray clearing trolleys are made of high-quality stainless steel.

The welded frame construction guarantees maximum stability and durability with compact dimensions and top manoeuvrability. The standard wall guards protect units and furniture.



## **Optional equipment for added comfort.**

The panelling creates a sleek look. It can be removed to facilitate cleaning and increase usage flexibility.

The best part is that it seamlessly integrates into the popular colour concept of the B.PRO BASIC LINE food serving trolley panelling by B.PRO Catering Solutions for a perfect overall appearance.

Upon request, the trolleys can be delivered with an ergonomical push handle made of hygienic stainless steel or additional push-through protection.



The **stainless-steel frame construction is securely welded** and therefore offers the highest levels of stability.



**Stainless-steel tray supports** with integrated push-through protection on both sides. The tray support frames can be completely removed.



**Optional: An additional push-through protection** at the back keeps trays securely in position.




**Optional: Trolley top made of stainless steel** with all-round railing for holding bottles and glasses. It is simply positioned on the frame construction and can therefore be easily removed without any tools for cleaning.

## B.PRO TRAY CLEARING TROLLEYS



Model	TAW 10 GN	TAW 10 EN	TAW 10 KN	TAW 2 x 10 GN	TAW 2 x 10 EN	TAW 2 x 10 KN
Model	Tray clearing trolley, 1-piece, accessible from both sides			Tray clearing trolley, 2-piece, accessible from both sides		
For trays	Gastronorm trays (530 x 325 mm)	Euronorm trays (530 x 370 mm)	Canteen trays (460 x 344 mm)	Gastronorm trays (530 x 325 mm)	Euronorm trays (530 x 370 mm)	Canteen trays (460 x 344 mm)
Dimensions L x W x H in mm	468 x 673 x 1550	513 x 673 x 1550	487 x 607 x 1550	850 x 673 x 1550	940 x 673 x 1550	888 x 607 x 1550
Support spacing	125 mm					
Capacity	10 GN trays	10 EN trays	10 KN trays	20 GN trays	20 EN trays	20 KN trays
Load-bearing capacity / max. load-bearing cap. per support pair	150 kg / 4.5 kg					
Castors	Synthetic castors, 125 mm dia., 4 steering castors, 2 of which have brakes					
Special features	Tray supports with integrated push-through protection on both sides, tray support frame completely removable					
Material	made of corrosion-resistant steel					
Order No.	<b>574 240</b>	<b>574 241</b>	<b>574 242</b>	<b>574 243</b>	<b>574 244</b>	<b>574 245</b>



TAW 12



TAW 2 x 12

Model	TAW 12 GN	TAW 12 EN	TAW 12 KN	TAW 2 x 12 GN	TAW 2 x 12 EN	TAW 2 x 12 KN
Model	Tray clearing trolley, 1-piece, accessible from both sides			Tray clearing trolley, 2-piece, accessible from both sides		
For trays	Gastronorm trays (530 x 325 mm)	Euronorm trays (530 x 370 mm)	Canteen trays (460 x 344 mm)	Gastronorm trays (530 x 325 mm)	Euronorm trays (530 x 370 mm)	Canteen trays (460 x 344 mm)
Dimensions L x W x H in mm	468 x 673 x 1550	513 x 673 x 1550	487 x 607 x 1550	850 x 673 x 1550	940 x 673 x 1550	888 x 607 x 1550
Support spacing	100 mm					
Capacity	12 GN trays	12 EN trays	12 KN trays	24 GN trays	24 EN trays	24 KN trays
Load-bearing capacity / max. load-bearing cap. per support pair	150 kg / 4.5 kg					
Castors	Synthetic castors, 125 mm dia., 4 steering castors, 2 of which have brakes					
Special features	Tray supports with integrated push-through protection on both sides, tray support frame completely removable					
Material	made of corrosion-resistant steel					
Order No.	<b>574 325</b>	<b>574 326</b>	<b>574 327</b>	<b>574 328</b>	<b>574 329</b>	<b>574 330</b>

## The panelling: Brings colour to everyday life.



The panelling sets for the B.PRO tray clearing trolleys can be used anywhere a privacy shield is desired. The sturdy side walls can be hooked in and unhooked easily. This makes cleaning easier, and the trolley can still be used without panelling.

In addition to stainless steel, 12 panelling colours offer a matching shade for any setting. And make every tray clearing trolley a real eye-catcher.


**Perfect in function and easy on the eye: Tray clearing trolleys by B.PRO.**

### The ingenious panelling


Simple to mount and just as simple to remove completely without tools.

## B.PRO COLOURS

### NEUTRAL COLOURS



Graphite black



Traffic grey B



Stone grey



Signal white

### LIVING COLOURS



Broom yellow



Merlot red



Petrol green



Sea blue


### FRESH COLOURS




Candy red



Neomint



Apple green



Lime

## OPTIONS AND ACCESSORIES



**TAW 10 GN** with panelling on 2 sides, colour: lime



**TAW 10 GN** with panelling on 3 sides, stainless steel



**TAW 2 x 10 GN** with stainless-steel trolley top, all-round railing and push handle (shown with accessories)

Designation	For model	Order No.
<b>Side wall panelling on 2 sides, coloured</b> Panelling parts can be completely removed for cleaning, thin sheet, electrolytically galvanised on both sides, powder-coated in various colours	TAW GN	<b>378 441</b>
	TAW EN	<b>378 442</b>
	TAW KN	<b>378 443</b>
<b>Side wall panelling on 2 sides, stainless steel</b> Panelling parts can be completely removed for cleaning	TAW GN	<b>378 450</b>
	TAW EN	<b>378 451</b>
	TAW KN	<b>378 452</b>
<b>Side and rear wall panelling on 3 sides, coloured</b> Panelling parts can be completely removed for cleaning, thin sheet, electrolytically galvanised on both sides, powder-coated in various colours	TAW 10 GN TAW 12 GN	<b>378 444</b>
	TAW 10 EN TAW 12 EN	<b>378 445</b>
	TAW 10 KN TAW 12 KN	<b>378 446</b>
	TAW 2 x 10 GN TAW 2 x 12 GN	<b>378 447</b>
	TAW 2 x 10 EN TAW 2 x 12 EN	<b>378 448</b>
	TAW 2 x 10 KN TAW 2 x 12 KN	<b>378 449</b>
	TAW 10 GN TAW 12 GN	<b>378 453</b>
	TAW 10 EN TAW 12 EN	<b>378 454</b>
<b>Side and rear wall panelling on 3 sides, stainless steel</b> Panelling parts can be completely removed for cleaning	TAW 10 KN TAW 12 KN	<b>378 455</b>
	TAW 2 x 10 GN TAW 2 x 12 GN	<b>378 456</b>
	TAW 2 x 10 EN TAW 2 x 12 EN	<b>378 457</b>
	TAW 2 x 10 KN TAW 2 x 12 KN	<b>378 458</b>
<b>Stainless-steel trolley top with all-round railing</b> Roof can be completely removed for cleaning, stainless steel	TAW 10 GN TAW 12 GN	<b>574 246</b>
	TAW 10 EN TAW 12 EN	<b>574 247</b>
	TAW 10 KN TAW 12 KN	<b>574 248</b>
	TAW 2 x 10 GN TAW 2 x 12 GN	<b>574 249</b>
	TAW 2 x 10 EN TAW 2 x 12 EN	<b>574 250</b>
	TAW 2 x 10 KN TAW 2 x 12 KN	<b>574 251</b>
	TAW 2 x 10 KN TAW 2 x 12 KN	<b>574 251</b>
<b>Push handle</b>	all TAW	--
<b>Additional push-through protection</b> (stainless-steel rod)	TAW 10 and TAW 12	--
	TAW 2 x 10 KN and TAW 2 x 12 KN	--
<b>Castors</b> , galvanised steel	all TAW	--



## THE B.PRO GROUP

Our customers are as diverse and varied as our portfolio. To ensure we do our very best for every client, we concentrate our skills, abilities and capacities in two highly specialised business units: B.PRO Catering Solutions – Products and systems for professional commercial kitchens. ENOXX Engineering – Custom-made high-precision pieces using stainless steel, aluminium or synthetics for industry.

All business units of B.PRO hold DIN EN ISO9001:2015 certification, guaranteeing a high standard of reliability and customer orientation.

B.PRO GmbH  
B.PRO Catering Solutions  
P.O. Box 13 10  
75033 Oberderdingen  
Germany  
Phone +49 7045 44-81900  
[catering.export@bpro-solutions.com](mailto:catering.export@bpro-solutions.com)  
[www.bpro-solutions.com](http://www.bpro-solutions.com)

**B.PRO**  
CATERING SOLUTIONS